

# SUBMERSIBLE WATER PUMPS

## The PondMAX EVOII Range are a revolutionary new range of water pumps.

#### Features include:

- High Performance with Very Low Power Consumption
- Variable Frequency Motor Design
- Threaded intake to adapt optional sponge pre-filters
- Anti-burnout & Soft Start Technology
- Tool-less Assembly for Easy Maintenance
- Marine & Freshwater Compatible\*\*



#### **Energy Efficient Usage**

Save up to \$200.00/year in power consumption with the EVOII Range. Power Saving Costs are an average based on an EV7200 compared to a standard pump and average Australian power prices\*.



PUMPFL	PUMP FLOW RATE IN LITRES PER HOUR									LOW VOLTAGE DC PUMPS				
Head (m)									° 0					
7.00							0	313						
6.00					0	0	0	1943	, o 50 a					
5.00				0	1200	1550	1867	3886				0		
4.00		0	0	980	2400	3100	3733	5828				424		
3.00	0	750	1000	1960	3600	4650	5600	7771			0	1268		
2.00	360	1500	2000	2940	4800	6200	7467	9714		0	936	2112		
1.00	1080	2250	3000	3920	6000	7750	9333	11657		900	1868	2956		
0.00	1800	3000	4000	4900	7200	9300	11200	13600		1800	2800	3800		
	EV1900 12W	<b>EV2900</b> 20W	EV3900 27W	<b>EV4900</b> 45W	<b>EV7200</b> 59W	<b>EV9200</b> 94W	EV11200 120W	EV13600 160W		EV1910-DC 13W	EV2910-DC 24W	EV3910-DC 37W		

<sup>\*</sup> Please check your electricity plan and power load for a more accurate average.

<sup>\*\*</sup> Warranty for marine use application is 1 Year max









OPEN VANE ADDITIONAL CAGE
IMPELLOR FILTER COVER
(SELECT MODELS)



SOLAR POWER COMPATIBLE (DC MODELS)





**AUTHORISED DEALER** 

### Always here to help...

- 1300 278 283
- sales@aquatecequipment.com
- **f** @TeamAquatec
- www.aquatecequipment.com